

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

[54]

XV. An Account of the Case of William Payne, with what appeared upon examining his Kidneys and Bladder, when his Body was opened; by Mr. George Bell, Surgeon.

Read Feb. 4.
1741-2. This should have been inserted at P. 27. Art. X.

Stephens's Medicines for 15 Months. See Hartley's View, &c. p. 8. Case III.

He was subject also to a scrotal Rupture on the Lest Side, from which however he suffered no great Inconveniency, unless upon Neglect of his Truss, which he had been directed to wear; and even then, if the Intestines came down, he used to return them with Ease.

About the Beginning of January last, he was attacked with a severe Fit of the Stone, attended, upon every Attempt to make Water, with a strong Tenesmus, that forced into the Scrotum a considerable Quantity of the Intestines, which exceeding his Skill to reduce, he sent for me. I sound the Tumour large and unequal, but without much Tension or Inslammation; his Pulse low, with clammy Sweats; he complained of violent Pains in his Back, propagated thro' the whole Length of the Ureters, accompanied with Nausea and Vomitings; he selt exquisite Pain about the Neck of his Bladder and Glans, with an unusual Weight in Perinae; he had frequent Inclinations to make Water, but seldom made above a Spoonful at once, and that Drop

by

by Drop, with much Pain, and sudden Stoppings: The Urine was extremely fetid, sometimes mixed with purulent Matter, at others tinged of a Cossee Colour.

He had received, just before I saw him, a Clyster, which produced two Stools, and encouraged me to hope might facilitate the Reduction of his Rupture. I attempted it by all necessary means possible, but without Success: For altho' the largest Part receded and gave way, yet a considerable Portion remained, which I could not possibly return. I therefore concluded, as the Intestines performed their Office, and were free from Tension, Inslammation, &c. that the Parts adhered; so left him, with Directions for a Bag-Truss to support them.

January the 22d, being informed of his Death, I applied for Leave to open him, which was granted. In examining the Contents of the Abdomen, I found the Left Kidney quite wasted, scarce any thing remaining except the Coats, and those filled with Blood and purulent Matter; the Ureter very much inlarged above

its natural Capacity, and full of the same.

The Right Kidney was ulcerated in several Places, and full of purulent Matter, mixed with Grit; several Hydatids appeared upon its external Surface; the *Ureter* was somewhat inlarged.

I next examined the Bladder, which was exceeding large, and contained above three Pints of clear Urine; upon opening it and introducing my Hand, I found two smooth flattish Stones, somewhat larger than common Windsor Beans: I discovered a third in the Neck of the Bladder, which probably had been forced there during the Paroxysm, and appeared to me to be the

[56]

the immediate Cause of his Death: It was about the Size of a Filbert, and had quite corked up the Passage.

Upon diffecting the Hernial Bag, the first Part that presented was a large Piece of Fat, about half a Pound; and immediately underneath it lay a large Portion of the Colon, in Length about 10 Inches; the internal Surface of the Peritoneum was strongly attached to the Colon by several Filaments, and to the Scrotum by its cellular Substance.

All the other Viscera were in a natural State.

Printed for T. WOODWARD, at the Half-Moon, between the Two Temple-Gates in Fleetstreet; and C. Davis, the Corner of Pater-noster-row, next Warwick-lane; PRINTERS to the ROYAL SOCIETY. M.DCC.XLII.

ADVERTISEMENTS.

A New Map of the Virgin Islands, taken from an actual Survey made at the Expence of the Honourable Gilbert Flemming, Esq; Governor of St. Kits. Sold by W. Mount and T. Page, Stationers, on Tower-hill, London.

The Gardener's best Companion in a Green-house; or, A Table, shewing the greatest Heat and Cold of most Countries; with a Catalogue of Exotic Plants, under the Name of each Country which produces them. Likewise, Thermometers, Hygrometers and Barometers, either for common Use, or adapted to the Use of Green-houses, made and sold by Tim. Sheldrake, at the Black-Boy over-against Cecil-street in the Strand, London.